

PATENT

Docket: P-9002.00

PAGE OFFICE PATENT AND TRADEMARK OFFICE

| Applicant: Dwight H. Warkentin |)) |
|---|--------------------------|
| Serial No.: 09/896,281 |) Art Unit: Unknown |
| Filed: June 29, 2001 |) Examiner: Unknown) |
| For: Multi-Site Ventricular Pacing System | |
| Measuring QRS Duration | |

INFORMATION DISCLOSURE STATEMENT

Commissioner for Patents Washington D.C. 20231

Dear Sir:

In compliance with the duty imposed by 37 C.F.R. § 1.56, and in accordance with C.F.R. §§ 1.97 *et. seq.*, the materials enclosed herewith are brought to the attention of the Examiner as possibly being of interest in connection with the above-identified patent application.

Consideration of each of the documents listed on the attached Form 1449 is respectfully requested. Pursuant to the provisions of M.P.E.P. §609, Applicant further requests that a copy of the Form 1449, marked as being considered and initialed by the Examiner, be returned with the next Official Communication.

Respectfully submitted,

Date: 8 (0/8)

By: Both I mchal

Beth L. McMahon, Reg. No. 41,987

MEDTRONIC, INC.

7000 Central Avenue Northeast Minneapolis, Minnesota 55432

Telephone: (763) 514-3066

ALL

DOCKET NO.: P-9002.00





04CON

INFORMATION DISCLOSURE STATEMENT TRANSMITTAL

In re Application of: Dwight H. Warkentin

For: MULTI-SITE VENTRICULAR PACING SYSTEM MEASURING QRS DURATION

Serial No.: 09/896,281 Filed: June 29, 2001

<u>CERTIFICATE OF MAILING UNDER 37 CFR 1.8</u>: I hereby certify that this INFORMATION DISCLOSURE STATEMENT and the paper(s), as described herein, are being deposited in the U.S. Postal Service, as first class mail, addressed to the Commissioner of Patents and Trademarks, Washington, D.C. 20231 on this

Commissioner of Patents and Trademarks Washington, D.C. 20231

Sir:

We are transmitting herewith the attached:

- X Information Disclosure Statement
- X PTO FORM 1449
- X Copies cited references
- X Return Postcard

FEE CALCULATION

| | \$ 00.00 Pursuant to 37 CFR §1.97(b) \$ 00.00 Pursuant to 37 CFR §1.97(c) with Certification \$ 00.00 Pursuant to 37 CFR §1.97(e) with Certification \$ \$180.00 Pursuant to 37 CFR §1.97(c) without Certification \$ \$180.00 Pursuant to 37 CFR §1.97(d) with Certification \$ \$180.00 Pursuant to 37 CFR §1.97(d) with Certification |
|---|--|
| ^ | |
| | Applicant hereby petitions for a months' extension of time. If an additional extension of time is required, please consider this petition therefor. |
| K | Applicant believes that no extension of time is required. However, if an extension of time is required, please consider this a petition therefore to provide for the possibility that applicant has inadvertently overlooked the need for an extension of time. |
| K | Please charge any additional fees or credits to Deposit Account No. 13-2546 which may have been overlooked with regard to this filing. A duplicate of this transmittal is enclosed. |

8 10 0 1

Beth L. McMahon, Reg. No. 41,987

MEDTRONIC, INC.

710 Medtronic Parkway N.E. Minneapolis, Minnesota 55432-5604

Telephone: (763) 514-3066

PTO/SB/O8A (08-00)

Approved for use through 10/31/2002. OMB 0651-0031
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE is it contains a valid OMB control number

| Under the | raperwork Kec | nction | ACT OF 1995, | no persons are required to | espond to a contaction of miorimization un | less it contains a valid OMB control number. | |
|--------------|------------------------|--------|---------------|----------------------------|--|--|---|
| Substitute ! | for form 1449 <i>f</i> | VPTO | | 1 / ₂ | C. W | Complete if Known | |
| IN | FORM | TIC | N DIS | CLOSURE | Application Number | 09/896,281 | |
| | - | | | PLICANT | Filing Date | June 29, 2001 | |
| 3 | AIEWI | CIA I | DI Ar | PLICANI | First Named Inventor | Dwight H. Warkentin | _ |
| | (use a | s тапу | sheets as nec | essary) | Group Art Unit | Unknown | |
| | | | | | Examiner Name | Unknown | |
| Sheet | 1 | of | 2 | | Attorney Docket Number | P9002.00 | |

| U.S. PATENT DOCUMENTS | | | | | | | |
|-----------------------|--------------------------|-----------------|-----------------------------------|--|--|---|--|
| Examiner Initials* | Cite ¹ No. | U.S. Patent Doc | Kind Code ² (if known) | Name of Patentee or Applicant of Cited Document | Date of Publication of Cited Document MM-DD-YYYY | Pages, Cohums, Lines, Where Relevant Passages or Relevant Figures Appear | |
| | | 3,937,226 | | Funke | 02-10-1976 | | |
| | | 4,088,140 | | Rockland et al. | 05-09-1978 | | |
| | | 4,332,259 | | McCorkle, Jr. | 06-01-1982 | | |
| | | 4,354,497 | | Kahn | 10-19-1982 | 12 12 12 12 12 12 12 12 12 12 12 12 12 1 | |
| | | 4,428,378 | | Anderson et al. | 01-31-1984 | | |
| | | 4,458,677 | | McCorkle, Jr. | 07-10-1984 | | |
| | | 4,548,203 | | Tacker, Jr. et al. | 10-22-1985 | | |
| | | 4,928,688 | | Mower | 05-29-1990 | | |
| | | 4,972,834 | | Begemann et al. | 11-27-1990 | | |
| | | 5,052,388 | | Sivula et al. | 10-01-1991 | | |
| | | 5,174,289 | | Cohen | 12-29-1992 | | |
| | | 5,267,560 | | Cohen | 12-07-1993 | | |
| | | 5,331,966 | | Bennett et al. | 07-26-1994 | | |
| | | 5,403,356 | | Hill et al. | 04-04-1995 | | |
| | | 5,514,161 | | Limousin | 05-07-1996 | | |
| | | 5,527,347 | | Shelton et al. | 06-18-1996 | | |
| | | 5,674,259 | | Gray | 10-07-1997 | | |
| | | 5,720,768 | | Verboven-Nelissen | 02-24-1998 | | |
| | | 5,749,906 | | Kieval et al. | 05-12-1998 | | |
| | | 5,792,203 | | Schroeppel | 08-11-1998 | | |
| | | 5,797,970 | | Pouvreau | 08-25-1998 | | |
| | | 5,902,324 | | Thompson et al. | 05-11-1999 | | |
| | | 6,070,100 | | Bakels et al. | 05-30-2000 | | |
| | | 6,129,744 | | Boute | 10-10-2000 | | |

| | | | FOI | REIGN PAT | ENT DOCUME | NTS | | |
|------------------------|-------------|--|-------------------------|--------------------------------------|---|---------------------------------|---|----------------|
| | | 1 | Foreign Patent Document | | N | Date of Publication | Pages, Columns, Lines, Where | |
| Examiner Cite No. | | Office ³ | Number ⁴ | Kind Code ⁵ (if known) | Name of Patentee of Applicant of Cited Document | of Cited Document MM-DD-YYYY | Relevant Passages or Relevant Figures Appear | Т ⁶ |
| | | | | | | | | <u> </u> |
| | | | | | | - | | ₩ |
| | | | | | | | | ╀ |
| | | | | | | | | +- |
| | | | | | | | | † |
| | | | | | _ | | | |
| | | | | | | | | |
| | | | | , | | | | 丄 |
| Substitute f | or form 144 | 19В/РТО | | | | Complete if Known | n | |
| INFORMATION DISCLOSURE | | | Applicati Filing Da | on Number te | | | | |

| Examiner | Date |
|-----------|------------|
| Signature | Considered |

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw Line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Unique citation designation number.

<sup>Unique citation designation number.
2 See attached Kinds of U.S. Patent Documents.
3 Enter Office that issued the document, by the two-letter code (WIPO Standard St.3).
4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document.
5 Kind of document by the appropriate symbol as indicated on the document under WIPO Standard ST. 16 if possible.
4 Applicant is to place a check mark here if English language Translation is attached.
1 Unique citation designation number.
2 Applicant is to place a check mark here if English language translation is attached.</sup>

Please type a plus sign (+) inside this box -

Approved for use through 10/31/2002. OMB 0651-0031
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
s it contains a valid OMB control number.

| | Under the h | Paperwork Ked | uction . | ACTOT 1993, DO DO | azonz are refunding to re | shorm in a compension or intermenent miss | S II CONTAINS & VALID COVID CONTOU DAMACE. |
|--------------------------|-------------|---------------|----------|--------------------|---------------------------|---|--|
| STATEMENT BY APPLICANT A | | | | | Dwight H. Warkentin | | |
| ı | ונט | I AL I LEIVII | 2111 | DIAIL | ACHIVI '' | Group Art Unit | Unknown |
| ł | | (use a | many | sheets as necessar | y) | Examiner Name | Unknown |
| Ì | Sheet | 2 | of | 2 | | Attorney Docket Number | P-9002.00 |
| | | | | | | | |

| | | OTHER PRIOR ART NON PATENT LITERATURE DOCUMENTS | | | | | | | |
|-----------------------|--------------------------|---|--|--|--|--|--|--|--|
| Examiner Initials* | Cite ¹ No. | Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published. | T ² | | | | | | |
| | | Daubert et al., "Permanent Dual Atrium Pacing in Major Intra-atrial Conduction Blocks: A Four Years | | | | | | | |
| | | Experience", PACE (Vol. 16, Part II, NASPE Abstract 141, p.885, April 1993) | | | | | | | |
| | | Daubert et al., "Permanent Left Ventricular Pacing With Transvenous Leads Inserted Into The Coronary Veins", PACE (Vol. 21, Part II, pp. 239-245, Jan. 1998) | | | | | | | |
| | | Cazeau et al., "Four Chamber Pacing in Dilated Cardiomyopathy", PACE (Vol. 17, Part II, pp. 1974-1979, November 1994) | | | | | | | |
| | | Daubert et al., "Renewal of Permanent Left Atrial Pacing via the Coronary Sinus", <u>PACE</u> (Vol. 15, Part II, NASPE Abstract 255, p. 572, April 1992) | | | | | | | |
| | | Durrer et al., "Total Excitation of the Isolated Human Heart", Circulation, (Vol. XLI, p. 899-912, June 1970) | | | | | | | |
| | | Lieberman et al., "Relationship Between Electrical and Hemodynamic Parameters Using Bi-Ventricular and Uni-Ventricular Pacing in Heart Failure Patients", JACC (Abstract 1059-69, p. 155A, February 2001) | | | | | | | |
| | | Cochlain et al., "The Effects of the Interval Between Right and Left Ventricular Activation on Sychronization in Patients with Bi-ventricular Pacemakers", PACE (Vol. 23, Part II, NASPE Abstract 94, p. 576, April 2000) | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | · | | | | | | | |
| | | | | | | | | | |
| | <u></u> | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| , | | | | | | | | | |
| | | | <u> </u> | | | | | | |
| | | | <u> </u> | | | | | | |
| | | | İ | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | - | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | 1 | | | | | | |
| | | | 1 | | | | | | |

| Examiner | Date | |
|-----------|----------------|--|
| Signature | Considered | |

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S., Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw Line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Unique citation designation number.
 See attached Kinds of U.S. Patent Documents.

³ Enter Office that issued the document, by the two-letter code (WIPO Standard St.3).

Enter Ornce that issued the document, by the two-letter code (WIPO Standard St.3).

For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document.

Kind of document by the appropriate symbol as indicated on the document under WIPO Standard ST. 16 if possible.

Applicant is to place a check mark here if English language Translation is attached.

Unique citation designation number.

Applicant is to place a check mark here if English language translation is attached.